

WOODARD'S

CONCRETE PRODUCTS, INC.

629 Lybolt Road
Bullville, NY 10915
845-361-3471
845-361-1050 fax

Locally Family Owned & Serving the Hudson Valley Since 1965

Quality Products & Services



Precast Concrete

Septic Tanks	Headwalls
Distribution Boxes	Bridges & Box Culverts
Dry Wells	Deck Piers
Pump Chambers	Containment Tanks
Grease Traps	Oil Separators
Parking Bumpers	Custom Items of all sorts
Park Benches	
Picnic Tables	
Retaining Walls	
Electric Vaults & Pads	
Utility Buildings	
Dugouts	
Trench Drains	
Catch Basins	
Manholes	



Services

On Site Concrete Mixing Truck
Truck Crane Service
Saw Cutting Concrete Walls
Core Drilling up to 16" holes
1&2 Yard Ready Mix Trailers

Entrances

Bilco Doors & PermEntry
Basement Stairways
Front Steps - stock or custom
Railings - wrought iron or custom
Bilco Window Wells
Wheelchair Ramps & Railings



Pipe & Accessories

2" to 10" PVC Pipe & Fittings
4" to 60" Culvert Pipe
Roth Plastic Septic Tanks
Septic Outlet Filters
Filter Fabric
Roadway Fabric
Silt Fence
SiltSoxx Sediment Control
Eljen In-Drain Leachfields
Presby Advanced Enviro.
Infiltrator Septic Chambers
Stormtech Chambers
Jute & Straw Fabric
Odor Filter Vents
Goulds Pump Dealer

Cast Iron

Manholes
& Grates
of all sizes



Member
Builders' & Remodelers' Association
of the Hudson Valley

Website: www.woodardsconcrete.com
Email: woodards@frontiernet.net

Cut Stone Retaining Wall Blocks for Home or Business



Easy to use
2'x2'x4' size



Recessed Top
Blocks for
soil fill



6" Caps
available



Create straight or curved retaining walls

WOODARD'S

CONCRETE PRODUCTS, INC.

629 Lybolt Rd, Bullville, NY 10915

(845) 361-3471 / Fax 361-1050

www.woodardsconcrete.com

Go-Cart Ready-Mix Concrete

**Pre-mixed concrete
ready for your small
projects.**

**\$183 per yard
\$165 for 3/4 yd
\$159 for 1/2 yd**

All Carts:


- 4,000 psi strength
- 6% air entrainment
- \$100 security deposit
- Reese type receiver hitch with 2-5/16" ball or pintle hook required, NO bumper hitch
- Carts have 2-5/16" balls attached

1 Yard Carts:

- 5,000 lb towing capacity minimum requirement
- Surge brake equipped

2 Yard Cart:

- 1 ton truck minimum with 12,000 lb towing capacity
- Electric Brake unit required



How to calculate your project volume: (use dimensions in inches)

Rectangular Volume: Length x Width x Height ÷ 46,656 = Yards required

Circular Volume: Radius x Radius x Height ÷ 14,859 = Yards required

**Cart pickup Hours:
M-F 7-3, Sat 8-10
must return cart
washed out in 2 hours,
closed Sat in winter**

WOODARD'S
CONCRETE PRODUCTS, INC.

629 Lybolt Road, Bullville, NY 10915

(845) 361-3471 / Fax 361-1050

Peekskill (914) 737-1074

www.woodardsconcrete.com